



Vinacontrol
SINCE 1957

Vinacontrol HoChiMinh City
80 Ba Huyen Thanh Quan St., Dist. 3,
Ho Chi Minh City
Tel : (84.28) 39.316323 - 39.316704
Fax : (84.28) 39.316961 - 38.437861
vinahochiminh@vinacontrol.com.vn
www.vinacontrol.com.vn

TEST REPORT

NO. : 20G04GN [REDACTED]
DATE : [REDACTED], 2021

Applicant : [REDACTED] COMPANY LIMITED
Address : [REDACTED]
CITY, VIETNAM
Commodity : WOOD COAL
Quantity : [REDACTED]
Date of sample receipt : [REDACTED] 2021
Sample storing time : 1 MONTH
Place of testing : VINACONTROL HOCHIMINH CITY'S LABORATORY

RESULTS

CONDITION OF SAMPLE

Seal	None
Appearance	In shape of black chunks
Packing	In plastic bag

ORD.	SPECIFICATION	UNIT	METHOD OF ANALYSIS	RESULT
1	Gross calorific value (DB)	Cal/g	ISO 18125:2017	7078
2	Ash (DB)	%	ISO 18122:2015	3.2
3	Fix carbon (DB)	%	ISO 17225-1:2014	63.7
4	Volatile matter (ARB)	%	ISO 18123:2015	32.3
5	Moisture	%	ISO 18134-1:2015	2.4

DEPUTY DIRECTOR OF DEPT. 4



Hoang Duc Hiep
MS VNC1058

Sample information is provided by the customer. All results are valid on the testing sample only and based on the best ability and knowledge of the lab at time of testing. Vinacontrol shall not be responsible for any claims about testing results after the storing period.

(*) Tests using Vilas (ISO/IEC 17025) accredited methods.
(**) Tests using subcontractors.
(#) Tests designated by ministries/ government branches.
LOD: Limit of Detection, LOQ: Limit of Quantification.



20G04GND16744-01

IMPROVE QUALITY, TOWARD SUCCESS



Vinacontrol
SINCE 1957

Vinacontrol HoChiMinh City
80 Ba Huyen Thanh Quan St., Dist. 3,
Ho Chi Minh City
Tel : (84.28) 39.316323 - 39.316704
Fax : (84.28) 39.316961 - 38.437861
vinahochiminh@vinacontrol.com.vn
www.vinacontrol.com.vn

TEST REPORT

NO. : 20G04G [REDACTED]
DATE : [REDACTED], 2021

Applicant : [REDACTED] COMPANY LIMITED
Address : [REDACTED]
CITY, VIETNAM
Commodity : [REDACTED]
Quantity : 1 SAMPLE
Date of sample receipt : [REDACTED], 2021
Sample storing time : 1 MONTH
Place of testing : VINACONTROL HOCHIMINH CITY'S LABORATORY

RESULTS

CONDITION OF SAMPLE	
Seal	None
Appearance	In shape of black chunks
Packing	In plastic bag

A	Sample	Ability to spontaneously combust every 4 hours at the temperature of 140°C continuously for 24 hours					
1	Testing time	4 hours	8 hours	12 hours	16 hours	20 hours	24 hours
2	Testing Result	The sample did not ignite by itself					
3	Testing Method	Classification procedures, test methods and criteria - division 33.3.1.3.3.1 (Classification of self-heating substances).					

Comment: After testing the sample at 140°C for 24 hours with no fire appeared, the sample was undamaged and did not catch fire. We certify that the sample is in accordance with clause 4.2 of IMDG (International Maritime) after examination.

DEPUTY DIRECTOR OF DEPT. 4



Hoang Duc Hiep
MS VNC1058

Sample information is provided by the customer. All results are valid on the testing sample only and based on the best ability and knowledge of the lab at time of testing. Vinacontrol shall not be responsible for any claims about testing results after the storing period.

(*) Tests using Vilas (ISO/IEC 17025) accredited methods.

(**) Tests using subcontractors.

(#) Tests designated by ministries/ government branches.

LOD: Limit of Detection, LOQ: Limit of Quantification.



20G04GND16744-02

IMPROVE QUALITY, TOWARD SUCCESS